



OCTOBER 2020 UPDATES

MAINTENANCE MOWING AND SLASHING WORK

TRACTORS AND MOWERS

EQUIPMENT USED	DITCHES MOWED
ZTRs	001-A, 001-A2, 002, 003, 004, 004-A, 004-B, 100, 100-C, 100-D, 100-D1, 100-D2, 100-J, 100-K, 100-X, 100-X1, 104, 104-A, 104-A1, 104-B, 104-D, 104-E, 104-E1, 105, 106, 106-A, 106-B, 107, 107-A, 107-A1, 107-B, 107-C, 108, 108-A, 108-B, 109, 110, 110-B, 110-C, 112, 112-A, 123-A3, 123-A4, 200-A, 200-B1, 200-B2, 201-A, 900, 901-B, 903, 904, 905, DD6 Complex
Tractors	001-A, 001-A2, 002, 003, 004, 004-A, 004-B, 100, 100-D, 100-D1, 100-D2, 100-E, 100-J, 100-K, 101-XA5, 104, 104-A, 104-A1, 104-B, 104-D, 104-E, 104-E1, 105, 105-A, 106, 106-A, 106-B, 107, 107-A, 107-A1, 107-B, 107-C, 108, 108-A, 108-B, 109, 110, 111, 111-A, 112, 121, 121-B, 123-A, 123-A3, 123-A4, 123-D, 200, 200-A, 200-B1, 200-B2, 201-A, 202-E, 202-E1, 300, 307, 308, 309, 309-A, 400, 402, 402-A1, 405, 405-A, 405-A1, 405-A1A, 407, 408, 500-A, 500-XA, 501-A, 505, 505-F, 550, 551, 551-B, 551-B2A, 551-B3, 551-B5, 551-C, 551-D, 551-D2, 551-D3, 551-E, 551-F, 552, 552-A, 552-B, 552-C, 552-D1, 560, 561-A, 562, 600, 600-GPLE, 605, 607, 607-B, 607-H, 617, 617-A, 900, 901-B, 901-B2, 903, 904, 905, 905-B, 1000, 1205, 8003, 8003-C, 8101, 8102, 8102-E, 8106, 8106-A, Pond A, Pond C

LONG-STICK MOWING

DITCH	LOCATION	DESCRIPTION OF WORK PERFORMED
500	League Rd. & FM 1406	Long-stick mowing – 4,500 feet of slopes.
803	Between McDermand Rd. & Hwy--365	Long-stick mowing – 12,650 feet of slopes and bottom
803-A	McDermand Rd. from Ditch 804 to Mason Rd.	Long-stick mowing – 1,500 feet of slopes and bottom
803-D	Hwy-365 west to LNVA canal.	Long-stick mowing – 2,500 feet of slopes and bottom.
803-F	Mason Rd.	Long-stick mowing – 1,800 feet of slopes.
804	Between Hwy-365 & Thompson Rd.	Long-stick mowing – 6,300 feet of slopes and bottom.
804-A	Thompson Rd.	Long-stick mowing – 6237 feet of slopes.
804-C	Mason Rd. to Ditch 804	Long-stick mowing – 4,300 feet of slopes and bottom.
804-E	Thompson Rd.	Long-stick mowing – 3,200 feet of slopes.

LONG-STICK SLASHING

DITCH	LOCATION	DESCRIPTION OF WORK PERFORMED
101-XA5A	Nona Lane	Slashed 1,000 feet of trees along ditch top.
700	League Rd. to Kline Rd.	Slashed 14,000 feet of trees along ditch top.
800	Between Hwy-90 & McDermand Rd.	Slashed (Fecon° mulcher) 5,600 feet of ditch top.

HERBICIDE SPRAYING

DITCHES SPRAYED
001, 001-A, 001-A1, 001-A2, 002, 003, 004, 004-B, 010, 100, 100-A, 100-D, 100-D1, 100-J, 100-K, 100-X, 102, 104, 104-A, 104-A1, 104-B, 104-D, 104-E, 104-E1, 105, 106, 106-A, 106-B, 107, 107-A, 107-A1, 107-A2, 107-B, 107-C, 108, 108-A, 108-A1, 108-B, 110, 111, 111-A, 114, 115, 116, 121, 121-A, 122, 123, 123-A, 123-A1, 123-A1A, 123-A3, 123-A4, 123-D, 123-XA, 200, 200-B1, 200-B2, 202-E, 202-E1, 202-E1D, 300, 308, 308-A, 309, 402, 402-A, 402-A1, 405, 405-A, 405-A1, 500, 600, 607, 607-E, 703, 709, 709-A, 712, 900, 901-B, 901-B2, 902, 903, 904, 905, 905-A, 1002-C, 1203, 1205, 1205-A, 8001, 8003, DD6 Complex, RWD

MAINTENANCE WORK

DITCH	LOCATION	DESCRIPTION OF WORK PERFORMED
1103	Old Nome and Hwy-326	Cleaned out 9,200 feet of sediment.
1301	Willis Rd.	Replaced 18-in pipe with 24-in pipe in multiple locations.
202-B4	Reynolds Rd. to Ditch 202-B	Cleaned 2,200 feet of sediment from ditch.
407	E. Clubb Rd.	Wiped out 900 feet of ditch.
506-C	Clark Rd. off Willis Rd.	Washout repairs.
604-A	Lawhon Rd.	Cleaned 5,800 feet of sediment from ditch.
700	League Rd.	Washout repairs.

PROJECT WORK

DITCH	LOCATION	DESCRIPTION OF WORK PERFORMED
100-XA5	Hwy-365	Relocated 350 feet of 5-strand barbed wire fencing.
101-XA2	Hwy-365 & Garner Rd.	Fabricated and installed two 48-in flap gates and set two 48-in x 40-ft crossings.
101-XA5A	Nona Lane	Installed 1,200 feet of fencing.
407	E. Clubb Rd.	Set two 36-in x 30-ft HDPE pipes, one 24-in x 30-ft HDPE pipe with flap gate, and set three 24-in x 30-ft downspouts.
500	Hwy-124	Reshaped 1,900 feet of earthen road.
506-C	Clark Rd. off Willis Rd.	Installed two 24-in x 40-ft downspouts and two 48" x 40-ft HDPE Pipes.
600	Green Pond Levee	Performed 25,032 feet of sub-grade dirt work, installed 25,032 feet of limestone road, and seeded slopes.
801-A	Ebner Rd.	Installed 30" x 80-ft steel pipe under canal.
8202	GIWW Structure Site	Constructed 600 feet of limestone flex road.
Fleetwood Detention	Washington Blvd.	Installed 775 feet of 8-ft privacy fence.