



JEFFERSON COUNTY DRAINAGE DISTRICT NO. 6
Karen K. Johnson, MBA, CTCD, CTCM: Chief Business Officer

6550 Walden Rd., Beaumont, Texas 77707 Phone: 409-842-1818 Fax: 409-842-2729

IFB Number: IFB 25-028/SC
IFB Title: Term Contract for Corrugated High Density Polyethylene Pipe
IFB Due Originally: 2:00 PM, CST, November 25, 2025
IFB Due By December 4, 2025
Addendum 1:
Addendum No.: 2
Issued (Date): December 1, 2025

TO BIDDER: This Addendum is an integral part of the IFB package under consideration by you as a Bidder in connection with the subject matter herein identified. Drainage District No. 6 deems all sealed bids to have been proffered in recognition and consideration of the entire IFB package – including all addenda. For purposes of clarification, receipt of this present Addendum by a Bidder should be evidenced by returning it (signed) as part of the Bidder's sealed bid. If the Bid has already been received by the Jefferson County Drainage District No 6 Purchasing Department, Bidder should return this addendum in a separate sealed envelope, clearly marked with the IFB Name, IFB Number, and Opening Date and Time, as stated above.

Reason for Issuance of this addendum: **Addition and Clarification.**

1. Addition to Minimum Specifications: Page 28

Contract Term

One (1) year from date of award with an option to renew for four (4) additional one (1) year extensions. A price re-determination may be considered by the District only at each twelve (12) month anniversary date of the contract. All requests for price re-determination shall be in written form. Cause for such request, i.e., manufacturer's direct cost, postage rates, Railroad Commission rates, Federal/State minimum wage law, Federal/State unemployment taxes, F.I.C.A, Insurance Coverage Rates, etc., shall be substantiated in writing by the source of the cost increase. The District reserves the right to accept or reject any/all requests for price re-determination as it deems to be in the best interest of the District.

2. Clarification 1:

Is there any specific amount or length of pipe that you will be needing? **No, pipe will be ordered as needed throughout the above-mentioned term.**

3. Clarification 2:

Is there a specific term length that you are needing for this project? **Yes, I have included Contract Term above.**

All addendums will be posted on the DD6 website:
<https://dd6.org/departments/purchasing/notices-for-bid/>

The information included herein is hereby incorporated into the documents of this present Bid matter and supersedes any conflicting documents or portion thereof previously issued.

Receipt of this Addendum is hereby acknowledged by the undersigned Bidder:

ATTEST:

Witness

Authorized Signature (Bidder)

Witness

Title of Person Signing Above

Typed Name of Business or Individual

Approved by _____ Date

Minimum Specifications

The following requirements and specifications supersede General Requirements where applicable. Contact Karen K. Johnson, Chief Business Officer (e-mail) kjohnson@dd6.org, Phone: 409-842-1818, regarding any questions or comments. Please reference bid number (IFB 25-028/SC).

Objective

The Awardee shall provide delivery of Corrugated High-Density Polyethylene Pipe with an integrally formed smooth interior in accordance with the terms and conditions of this specification. Prices are requested per fitting and should be bid as F.O.B. delivered to District facilities located at 6550 Walden Rd., Beaumont, Texas, or a District Job Site within Jefferson County. The District reserves the right to make the award to one (1) successful bidder or per line item. Additionally, the Awardee will provide products of the highest and best quality that are competitively priced and delivered in a timely manner. Finally, the Awardee must have experience and have an established, credible reputation for servicing large volume location customers.

GENERAL

1. **Scope.** The specification is applicable to nominal sizes 12-60-inch diameter (300 to 1500 mm) for use in gravity-flow land drainage application. Pipe shall meet the specifications entitled ADS N-12 ® Plain End Pipe (per ASSHTO).

The pipe ends shall be free of foreign inclusions and visible defects. The ends of the pipe shall be cut squarely and cleanly so as not to adversely affect joining.

2. **Pipe Requirements.** ADS N-12 Plain End Pipe (per ASSHTO) shall have a smooth interior and annular exterior corrugations. 12-inch through 60-inch (300 to 1500 mm) shall meet AASHTO M294, Type S or SP or ASTM F2306. Manning's "n" value for use in design shall be 0.012.
3. **Joint Performance.** Pipe shall be joined with coupling bands covering at least two full corrugations on each end of the pipe. Standard connections shall meet or exceed the soil-tight requirements of AASHTO M252, AASHTO M294, or ASTM F2306. Gasketed connections shall incorporate a closed-cell synthetic expanded rubber gasket meeting the requirements of ASTM D1056 Grade 2A2. Gaskets, when applicable, shall be installed by the pipe manufacturer.
4. **Fittings.** Fittings shall conform to AASHTO M252, AASHTO M294 or ASTM F2306.
5. **Material Properties.** Material for pipe and fitting production shall be high density polyethylene conforming with the minimum requirements of cell classification 424420C for 4- through 10-inch (100 to 250 mm) diameters, and 435400C for 12- through 60-inch (300 to 1500 mm) diameters, as defined and described in the latest version of ASTM D3350, except that carbon black content should not exceed 4%. The 12- through 60-inch (300 to 1500mm) pipe material shall comply with the notched constant ligament-stress (NCLS) test as specified in Sections 9.5 and 5.1 of AASHTO M294 and ASTM F2306 respectively.

6. Pipe Dimensions

NOMINAL DIAMETER										
Pipe I.D.	12"	15"	18"	24"	30"	36"	42"	48"	54"	60"
Pipe O.D.	14.5"	18"	22"	28"	36"	42"	48"	54"	61"	67"

Under the "Hazardous Communication Act," commonly known as "Texas Right to Know Act," a bidder must provide the District with a **M**aterial **S**afety **D**ata **S**heet which is applicable to hazardous substances defined in the act. Failure to supply these documents by any bidder will be a cause to reject any bid.

Should the successful vendor not be able to furnish the pipe as needed, the District shall have the right to purchase the pipe from another supplier of its choice to meet its delivery needs.

The bids shall be legibly printed in ink or typed.

The Awardee shall provide all equipment, fuel, labor, materials, transportation, trucks, vehicles, and any/all other services necessary for the supply and delivery of Corrugated High Density Polyethylene Pipe in accordance with the terms and conditions of this specification. Additionally, the Awardee will provide products of the highest and best quality that are competitively priced and delivered in a timely manner. Finally, the Awardee must have experience and have an established, credible reputation for servicing large volume location customers on a just-in-time basis.

7. **Payment** for acceptable corrugated high density polyethylene corrugated pipe and fittings delivered and received in good condition will be made at the contract unit price for "Corrugated High Density Polyethylene Pipe and Fittings," which prices shall include all costs for furnishing and hauling the corrugated high density polyethylene corrugated pipe and fittings as specified herein.

8. Contract Term

One (1) year from date of award with an option to renew for four (4) additional one (1) year extensions. A price re-determination may be considered by the District only at each twelve (12) month anniversary date of the contract. All requests for price re-determination shall be in written form. Cause for such request, i.e., manufacturer's direct cost, postage rates, Railroad Commission rates, Federal/State minimum wage law, Federal/State unemployment taxes, F.I.C.A, Insurance Coverage Rates, etc., shall be substantiated in writing by the source of the cost increase. The District reserves the right to accept or reject any/all requests for price re-determination as it deems to be in the best interest of the District.